

Chapter 2: Data Handling

NCERT Exemplar · Class 8 · Maths

Some questions are missing from the current source. Exercise · Page 42: questions 88 missing from source

Exercise · Page 42 · Textbook page 42

Question 1

The height of a rectangle in a histogram shows the

- (a) Width of the class (b) Upper limit of the class
(c) Lower limit of the class (d) Frequency of the class

Solution

Solution:-

- (d) Frequency of the class
-

Question 2

A geometric representation showing the relationship between a whole and its parts is a

- (a) Pie chart (b) Histogram (c) Bar graph (d) Pictograph

Solution

Solution:-

- (a) Pie chart

A geometric representation showing the relationship between a whole and its parts is a pie chart.

Question 3

In a pie chart, the total angle at the centre of the circle is

- (a) 180° (b) 360° (c) 270° (d) 90°
-

Solution

Solution:-

(b) 360°

Question 4

The range of the data 30, 61, 55, 56, 60, 20, 26, 46, 28, 56 is

(a) 26 (b) 30 (c) 41 (d) 61

Solution

Solution:-

(c) 41

The difference between the lowest and the highest observation in a given data is called its Range.

Then, Range = Highest observation – Lowest observation

$$= 61 - 20$$

$$= 41$$

Question 5

Which of the following is not a random experiment?

(a) Tossing a coin (b) Rolling a dice

(c) Choosing a card from a deck of 52 cards

(d) Throwing a stone from a roof of a building

Solution

Solution:-

(d) Throwing a stone from a roof of a building.

There is only one output, that is, the stone will fall down; therefore, it is not a random experiment.

Question 6

What is the probability of choosing a vowel from the alphabet?

(a) $\frac{21}{26}$ (b) $\frac{5}{26}$ (c) $\frac{1}{26}$ (d) $\frac{3}{26}$

Solution

Solution:-

(b) $\frac{5}{26}$

Probability = Number of Vowels/ Total number of alphabets

= $\frac{5}{26}$

Question 7

In a school only, 3 out of 5 students can participate in a competition. What is the probability of the students who do not make it to the competition?

(a) 0.65 (b) 0.4 (c) 0.45 (d) 0.6

Solution

Solution:-

(b) 0.4

Probability = Number of students who do not make it to the competition / Total number of students.

= $\frac{2}{5}$


= 0.4

Question 8

Which colour received $\frac{1}{5}$ of the votes?

Students of a class voted for their favourite colour, and a pie chart was prepared based on the data collected.

Observe the pie chart given below and answer questions 8 –10 based on it.



(a) Red (b) Blue (c) Green (d) Yellow

Solution

Solution:-

(c) Green

$$= \frac{1}{5} \times 100$$

$$= 0.2 \times 100$$


$$= 20\%$$

Question 9

If 400 students voted in all, then how many did vote 'Others' colour as their favourite?

Students of a class voted for their favourite colour, and a pie chart was prepared based on the data collected.

Observe the pie chart given below and answer questions 8 –10 based on it.



(a) 6 (b) 20 (c) 24 (d) 40

Solution

Solution:-

(c) 24

From the pie chart, 6% out of 400 students voted for others,

So,

$$= (6\%/100\%) \times 400$$

$$= 0.06 \times 400$$


$$= 24$$

Question 10

Which of the following is a reasonable conclusion for the given data?

Students of a class voted for their favourite colour, and a pie chart was prepared based on the data collected.

Observe the pie chart given below and answer questions 8 –10 based on it.



A.

$(1/20)^{\text{th}}$ student voted for blue colour

B.

Green is the least popular colour

C.

The number of students who voted for red colour is two times the number of students who voted for yellow colour

D.

Number of students liking together yellow and green colour is approximately the same as those for red colour.

Solution

Solution:-

(d) Number of students liking together yellow and green colour is approximately the same as those for red colour.

Question 11

Listed below are the temperature in $^{\circ}\text{C}$ for 10 days.

-6, -8, 0, 3, 2, 0, 1, 5, 4, 4

What is the range of the data?

Solution

Solution:-

(a) 8 (b) 13°C (c) 10°C (d) 12°C

Solution:-

(b) 13°C

The difference between the lowest and the highest observation in a given data is called its Range.

Then, Range = Highest observation – Lowest observation

$$= 5 - (-8)$$

$$= 5 + 8$$

$$= 13^{\circ}\text{C}$$

Question 12

Ram put some buttons on the table. There were 4 blue, 7 red, 3 black and 6 white buttons in all. All of a sudden, a cat jumped on the table and knocked out one button on the floor. What is the probability that the button on the floor is blue?

(a) $7/20$ (b) $3/5$ (c) $1/5$ (d) $1/4$

Solution

Solution:-

(c) $1/5$


Probability = Number of blue buttons on the table / Total number of buttons on the table

$$= 4/20 \dots [\text{divide both numerator and denominator by 4}]$$

$$= 1/5$$

Question 13

Rahul, Varun and Yash are playing a game of spinning a coloured wheel. Rahul wins if spinner lands on red. Varun wins if spinner lands on blue and Yash wins if it lands on green. Which of the following spinner should be used to make the game fair?



- (a) (i) (b) (ii) (c) iii (d) (iv)

Solution

Solution:-

(d) (iv) this figure contains equal share for three colours.

Question 14

In a frequency distribution with classes 0 –10, 10 –20 etc., the size of the class intervals is 10. The lower limit of fourth class is

- (a) 40 (b) 50 (c) 20 (d) 30

Solution

Solution:-

- (d) 30

The lower value of the class interval is called its Lower Class Limit.

First class = 0 -10

Second class = 10 – 20

Third class = 20 – 30

Fourth class = 30 – 40

Fifth class = 40 – 50

and Tenth class = 90 – 100

Question 15

A coin is tossed 200 times, and the head appeared 120 times. The probability of getting a head in this experiment is

(a) $\frac{2}{5}$ (b) $\frac{3}{5}$ (c) $\frac{1}{5}$ (d) $\frac{4}{5}$

Solution

Solution:-

(b) $\frac{3}{5}$

Probability = Number of times head appeared / Total number of times coin is tossed

$$= \frac{120}{200}$$

$$= \frac{12}{20} \dots [\text{divide both numerator and denominator by 4}]$$

$$= \frac{3}{5}$$

Question 16

Data collected in a survey shows that 40% of the buyers are interested in buying a particular brand of toothpaste. The central angle of the sector of the pie chart representing this information is

(a) 120° (b) 150° (c) 144° (d) 40°

Solution

Solution:-

(c) 144°

$$= \left(\frac{40}{100}\right) \times 360^\circ$$

$$= 0.4 \times 360^\circ$$

$$= 144^\circ$$

Question 17

Monthly salary of a person is Rs. 15000. The central angle of the sector representing his expenses on food and house rent on a pie chart is 60° . The amount he spends on food and house rent is

- (a) Rs. 5000 (b) Rs. 2500 (c) Rs. 6000 (d) Rs. 9000

Solution

Solution:-


- (b) Rs. 2500

From the question,

The part of monthly salary spent on food and house rent = $60^\circ/360^\circ$

The amount he spends on food and house rent is = $(60^\circ/360^\circ) \times 15000$

= Rs. 2500

Question 18

The following pie chart gives the distribution of constituents

in the human body. The central angle of the sector showing the distribution of protein and other constituents is

- (a) 108° (b) 54° (c) 30° (d) 216°

Solution

Solution:-

- (a) 108°


The following pie chart gives the distribution of constituents

in the human body = $16\% + 14\% = 30\%$

$$= (30/100) \times 360^\circ$$

$$= 108^\circ$$

Question 19



Rohan and Shalu are playing with 5 cards as shown

in the figure. What is the probability of Rohan picking

a card without seeing, that has the number 2 on it?

(a) $2/5$ (b) $1/5$ (c) $3/5$ (d) $4/5$

Solution

Solution:-

(a) $2/5$

Probability = Number of cards having 2 / Total number of cards

$$= 2/5$$

Question 20



The following pie chart represents the distribution of

proteins in parts of the human body. What is the ratio of the distribution of proteins in the muscles to that of proteins

in the bones?

(a) 3 : 1 (b) 1 : 2 (c) 1 : 3 (d) 2 : 1

Solution

Solution:-

(d) 2 : 1

From the chart,

Distribution of protein in the muscles = $\frac{1}{3}$

Distribution of protein in the bones = $\frac{1}{6}$

Then,

Ratio of distribution of proteins in the muscles to that of proteins in the bones,

$$= \frac{1}{3} : \frac{1}{6}$$

$$= \left(\frac{1}{3}\right) \times \left(\frac{6}{1}\right)$$

$$= \left(\frac{1}{1}\right) \times \left(\frac{2}{1}\right)$$

$$= \frac{2}{1}$$

$$= 2 : 1$$

Question 21

What is the central angle of the sector (in the above pie chart) representing skin and bones together?



(a) 36° (b) 60° (c) 90° (d) 96°

Solution

Solution:-

(d) 96°

Distribution of protein in the skin = $1/10$

Distribution of protein in the bones = $1/6$

Central angle of the sector representing skin and bones,

$$= 1/10 + 1/6$$

$$= (3 + 5)/30$$

$$= 8/30 \times 360^\circ$$

$$= 96^\circ$$

Question 22

What is the central angle of the sector (in the above pie chart) representing hormones enzymes and other proteins?



(a) 120° (b) 144° (c) 156° (d) 176°

Solution

Solution:-

(b) 144°

Distribution of protein in the skin = $1/10$

Distribution of protein in the bones = $1/6$

Distribution of protein in the Muscles = $1/3$

Central angle of the sector represents skin, muscles and bones,

$$= 1/10 + 1/6 + 1/3$$

$$= (3 + 5 + 10)/30$$

$$= 18/30 \times 360^\circ$$

$$= 216^\circ$$

Then,

Central angle of the sector represents hormones enzymes and other proteins,

$$= 360^\circ - 216^\circ$$

$$= 144^\circ$$

Question 23

A coin is tossed 12 times and the outcomes are observed as shown below:



The chance of occurrence of Head is

(a) $\frac{1}{2}$ (b) $5/12$ (c) $7/12$ (d) $5/7$

Solution

Solution:-

(b) $5/12$... [from the figure]

Question 24

Total number of outcomes, when a ball is drawn from a bag which contains 3 red, 5 black and 4 blue balls is

- (a) 8 (b) 7 (c) 9 (d) 12

Solution

Solution:-

- (d) 12

Question 25

A graph showing two sets of data simultaneously is known as

- (a) Pictograph (b) Histogram (c) Pie chart (d) Double bar graph

Solution

Solution:-

- (d) Double bar graph

Question 26

Size of the class 150 –175 is

- (a) 150 (b) 175 (c) 25 (d) –25

Solution

Solution:-

- (c) 25

The difference between the upper-class limit and lower class limit of a class is called the Size of the class.

= Upper limit – lower limit

= 175 – 150

= 25

Question 27

In a throw of a dice, the probability of getting the number 7 is

- (a) $\frac{1}{2}$ (b) $\frac{1}{6}$ (c) 1 (d) 0

Solution

Solution:-

- (d) 0

Only 1, 2, 3, 4, 5 and 6 are in the dice. So, no chance of getting number 7.

Question 28

Data represented using circles is known as

- (a) Bar graph (b) Histogram (c) Pictograph (d) Pie chart

Solution

Solution:-

- (d) Pie chart.
-

Question 29

Tally marks are used to find

- (a) Class intervals (b) Range (c) Frequency (d) Upper limit

Solution

Solution:-

- (c) Frequency
-

Question 30

Upper limit of class interval 75 –85 is

- (a) 10 (b) –10 (c) 75 (d) 85

Solution**Solution:-**

(d) 85

Question 31


Numbers 1 to 5 are written on separate slips, i.e. one number on one slip and put in a box. Wahida picks a slip from the box without looking at it. What is the probability that the slip bears an odd number?

(a) $\frac{1}{5}$ (b) $\frac{2}{5}$ (c) $\frac{3}{5}$ (d) $\frac{4}{5}$ **Solution****Solution:-**(c) $\frac{3}{5}$

Number 1 to 5 = 1, 2, 3, 4, 5

Odd number 1 to 5 = 1, 3, 5

Probability = total number of odd number slips/ Total number of slips

 $= \frac{3}{5}$ **Question 32**

A glass jar contains 6 red, 5 green, 4 blue and 5 yellow marbles

of the same size. Hari takes out a marble from the jar at random.

What is the probability that the chosen marble is of red colour?

(a) $\frac{7}{10}$ (b) $\frac{3}{10}$ (c) $\frac{4}{5}$ (d) $\frac{2}{5}$

Solution

Solution:-

(b) $\frac{3}{10}$

Probability = total number of red marbles/ Total number of marbles

= $\frac{6}{20}$... [divide numerator and denominator by 2]

= $\frac{3}{10}$

Question 33

A coin is tossed two times. The number of possible outcomes is

(a) 1 (b) 2 (c) 3 (d) 4

Solution

Solution:-

(d) 4

Head Head, Tail Tail, Tail Head, Head Tail.

Question 34

A coin is tossed three times. The number of possible outcomes is

(a) 3 (b) 4 (c) 6 (d) 8

Solution

Solution:-

(d) 8

HHH, TTT, THH, HTH, HHT, HTT, THT, TTH

Question 35

A dice is tossed two times. The number of possible outcomes is

(a) 12 (b) 24 (c) 36 (d) 30

Solution

Solution:-

(c) 36

(1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6) = 6

(2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6) = 6

(3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6) = 6

(4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6) = 6

(5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6) = 6

(6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6) = 6

= 36

In questions 36 to 58, fill in the blanks to make the statements true.

Question 36

Data available in an unorganised form is called data.

Solution

Solution:-

Data available in an unorganised form is called raw data.

Question 37

In the class interval 20 – 30, the lower class limit is .

Solution

Solution:-

In the class interval 20 – 30, the lower class limit is 20.

Question 38

In the class interval 26 – 33, 33 is known as .

Solution

Solution:-

In the class interval $26 - 33$, 33 is known as upper class limit.

Question 39

The range of the data 6, 8, 16, 22, 8, 20, 7, 25 is .

Solution

Solution:-

The difference between the lowest and the highest observation in a given data is called its Range.

Then, Range = Highest observation – Lowest observation

$$= 25 - 6$$

$$= 19$$

The range of the data 6, 8, 16, 22, 8, 20, 7, 25 is 19.

Question 40

A pie chart is used to compare to a whole.

Solution

Solution:-

A pie chart is used to compare parts to a whole.

Question 41

In the experiment of tossing a coin one time, the outcome is either or

.

Solution

Solution:-

In the experiment of tossing a coin one time, the outcome is either Head or Tail.

Question 42

When a dice is rolled, the six possible outcomes are .

Solution

Solution:-

When a dice is rolled, the six possible outcomes are 1, 2, 3, 4, 5 and 6.

Question 43

Each outcome or a collection of outcomes in an experiment makes an .

Solution

Solution:-

Each outcome or a collection of outcomes in an experiment makes an Event.

Question 44

An experiment whose outcomes cannot be predicted exactly in advance is called a experiment.

Solution

Solution:-

An experiment whose outcomes cannot be predicted exactly in advance is called a random experiment.

Question 45

The difference between the upper and lower limit of a class interval is called the of the class interval.

Solution

Solution:-

The difference between the upper and lower limit of a class interval is called the
Size/width of the class interval.

Question 46

The sixth class interval for a grouped data whose first two class intervals are $10 - 15$ and $15 - 20$ is .


Solution

Solution:-

The sixth class interval for a grouped data whose first two class intervals are $10 - 15$ and $15 - 20$ is $35 - 40$.

Question 47

The total number of people surveyed is .



Histogram given on the right shows the number of

people owning the different number of books.

Answer 47 to 50 based on it


Solution**Solution:-**

Form the Histogram,

The total number of people surveyed is 35.

Question 48

The number of people owning books more than



Histogram given on the right shows the number of

people owning the different number of books.

Answer 47 to 50 based on it

60 is .


Solution**Solution:-**

The number of people owning books more than

60 is 8.

Question 49

The number of people owning books less than



Histogram given on the right shows the number of

people owning the different number of books.

Answer 47 to 50 based on it

40 is .


Solution

Solution:-

The number of people owning books less than 40 is 22.

Question 50

The number of people having books more than 20 and less than 40 is .



Histogram given on the right shows the number of

people owning the different number of books.

Answer 47 to 50 based on it

Solution

Solution:-

The number of people having books more than 20 and less than 40 is 14.

Question 51

The number of times a particular observation occurs in a given data is called its

.

Solution

Solution:-

The number of times a particular observation occurs in a given data is called its Frequency.

Question 52

When the number of observations is large, the observations are usually organised in groups of equal width called .

Solution**Solution:-**

When the number of observations is large, the observations are usually organised in groups of equal width called class intervals.

Question 53

The total number of outcomes when a coin is tossed is .

Solution**Solution:-**

The total number of outcomes when a coin is tossed is 2.

Question 54

The class size of the interval 80 – 85 is .

Solution**Solution:-**

$$= 85 - 80$$

$$= 5$$

The class size of the interval 80 – 85 is 5.

Question 55

In a histogram, _____ are drawn with width equal to a class interval without leaving any gap in between.

Solution**Solution:-**

In a histogram bars are drawn with width equal to a class interval without leaving any gap in between.

Question 56

When a dice is thrown, outcomes 1, 2, 3, 4, 5, 6 are equally .

Solution

Solution:-

When a dice is thrown, outcomes 1, 2, 3, 4, 5, 6 are equally likely.

Question 57

In a histogram, class intervals and frequencies are taken along _____ axis and _____ axis.

Solution

Solution:-

In a histogram, class intervals and frequencies are taken along X axis and Y axis.

Question 58

In the class intervals 10 –20, 20 –30, etc., respectively, 20 lies in the class .

Solution

Solution:-

In the class intervals 10 –20, 20 –30, etc., respectively, 20 lies in the class 20 – 30.

In questions 59 to 81, state whether the statements are true (T) or false (F).

Question 59

In a pie chart a whole circle is divided into sectors.

Solution

Solution:-

True.

Pie chart shows the relationship between a whole and its parts.

Question 60

The central angle of a sector in a pie chart cannot be more than 180° .

Solution

Solution:-

False.

The central angle of a sector in a pie chart is more than 180° . But, it cannot be more than 360° .

Question 61

Sum of all the central angles in a pie chart is 360° .

Solution

Solution:-

True.

Question 62

In a pie chart two central angles can be of 180° .

Solution

Solution:-

True.

We know that sum of all the central angles in a pie chart is 360° . So, if two angles have 180° each then the sum of two angles is 360° .

Question 63

In a pie chart two or more central angles can be equal.

Solution

Solution:-

True.

Yes, in a pie chart two or more central angles can be equal.

Question 64

Getting a prime number on throwing a die is an event.

Solution

Solution:-

True.

Each outcome or a collection of outcomes in an experiment makes an Event.

Question 65

9 students got full marks.

Using the following frequency table, answer questions 65-68

Marks (obtained out of 10)	4	5	7	8	9	10
Frequency	5	10	8	6	12	9

Solution

Solution:-

True.

From the table, given that 9 students got 10 out of 10 marks.

Question 66

The frequency of less than 8 marks is 29.

Using the following frequency table, answer questions 65-68

Marks (obtained out of 10)	4	5	7	8	9	10
Frequency	5	10	8	6	12	9

Solution

Solution:-

False.

The frequency of less than 8 marks is $8 + 10 + 5 = 23$ students.

Question 67

The frequency of more than 8 marks is 21.

Using the following frequency table, answer questions 65-68

Marks (obtained out of 10)	4	5	7	8	9	10
Frequency	5	10	8	6	12	9

Solution

Solution:-

True.

The frequency of more than 8 marks is $12 + 9 = 21$ students.

Question 68

10 marks the highest frequency.

Using the following frequency table, answer questions 65-68

Marks (obtained out of 10)	4	5	7	8	9	10
Frequency	5	10	8	6	12	9

Solution

Solution:-

False.

9 marks has highest frequency, i.e. 12. But, 10 has 9 frequency.

Question 69

If the fifth class interval is 60 – 65, fourth class interval is 55 – 60, then the first class interval is 45 – 50.


Solution

Solution:-

False.

The first class interval is 40 – 45, second class interval is 45 – 50, third class interval is 50 – 55, fourth class interval 55 – 60, fifth class interval is 60 – 65.

Question 70



From the histogram given on the right, we

can say that 1500 males above the age of 20 are
literate.

Solution

Solution:-

False.

From the histogram given on the right, we

can say that 1900 ($600 + 800 + 500$) males above the age of 20 are literate.

Question 71

The class size of the class interval 60 – 68 is 8.

Solution

Solution:-

True.

The difference between the upper and lower limit of a class interval is called the

Size of the class interval. i.e. $68 - 60 = 8$

Question 72

If a pair of coins is tossed, then the number of outcomes are 2.

Solution

Solution:-

False.

If a pair of coins is tossed, then the number of outcomes are 4, i.e. HH, TT, TH and HT.

Question 73

On throwing a dice once, the probability of occurrence of an even number is $\frac{1}{2}$.

Solution

Solution:-

True.

The even numbers in a dice are 2, 4 and 6.

Probability = total number of even numbers/ Total numbers

= $\frac{3}{6}$... [divide numerator and denominator by 3]

$$= \frac{1}{2}$$

Question 74

On throwing a dice once, the probability of occurrence of a composite number is $\frac{1}{2}$.

Solution

Solution:-

False.

The composite numbers in a dice are 4 and 6.


Probability = total number of composite numbers/ Total numbers

$$= \frac{2}{6} \dots [\text{divide numerator and denominator by 2}]$$

$$= \frac{1}{3}$$

Question 75

From the given pie chart, we can infer that production of Manganese is least in state B.



**Production of Manganese
in 4 different states**

Solution

Solution:-

False.

It is not possible to declare, from the given pie chart that the production of Manganese is least in state B. Because, we do not know the central angle of the sectors.

Question 76

One or more outcomes of an experiment make an event.

Solution

Solution:-

True.

Each outcome or a collection of outcomes in an experiment makes an Event.

Question 77

The probability of getting the number 6 in a throw of a dice is $\frac{1}{6}$. Similarly, the probability of getting the number 5 is $\frac{1}{5}$.

Solution

Solution:-

False.

The probability of getting the number 5 is $\frac{1}{6}$.

Question 78

The probability of getting a prime number is the same as that of a composite number in a throw of a dice.

Solution

Solution:-

False.

The composite numbers in a dice are 4 and 6.

Probability = total number of composite numbers/ Total numbers

= $\frac{2}{6}$... [divide numerator and denominator by 2]

$$= 1/3$$

The prime numbers in a dice are 2, 3 and 5.

Probability = total number of prime numbers/ Total numbers

$$= 3/6 \dots [\text{divide numerator and denominator by 3}]$$

$$= 1/2$$

Question 79

In a throw of a dice, the probability of getting an even number is the same as that of getting an odd number.

Solution

Solution:-

True.

The even numbers in a dice are 2, 4 and 6.

Probability = total number of even numbers/ Total numbers

$$= 3/6 \dots [\text{divide numerator and denominator by 3}]$$

$$= 1/2$$

The odd numbers in a dice are 1, 3 and 5.

Probability = total number of odd numbers/ Total numbers

$$= 3/6 \dots [\text{divide numerator and denominator by 3}]$$

$$= 1/2$$

Question 80

To verify Pythagoras theorem is a random experiment.

Solution


Solution:-

False.

We know the result i.e. only one result, before going to verify the Pythagoras theorem. So, it is not a random experiment.

Question 81

The following pictorial representation of data is a histogram.



Solution

Solution:-

True.

Histogram is a type of bar diagram, where the class intervals are shown on the horizontal axis and the heights of the bars (rectangles) show the frequency of the class interval, but there is no gap between the bars as there is no gap between the class intervals.

Question 82

Given below is a frequency distribution table. Read it and answer the question that follows.

Class Interval	Frequency
10 – 20	5
20 – 30	10

30 – 40	4
40 – 50	15
50 – 60	12

(a) What is the lower limit of the second class interval?

Solution

Solution:-

The lower limit of the second class interval 20 – 30 is 20.

(b) What is the upper limit of the last class interval?

Solution:-

The upper limit of the last class interval 50 – 60 is 60.

(c) What is the frequency of the third class?

Solution:-

The frequency of the third class 30 – 40 is 4.

(d) Which interval has a frequency of 10?

Solution:-

Second class interval 20 – 30 has a frequency of 10.

(e) Which interval has the lowest frequency?

Solution:-

Third interval 30 – 40 has the lowest frequency i.e. 4.

(f) What is the class size?

Solution:-

The difference between the upper and lower limit of a class interval is called the Size of the class interval.

Size = Upper limit – Lower limit

$$= 20 - 10$$

$$= 10$$

Question 83


The top speeds of thirty different land animals have been organised into a frequency table. Draw a histogram for the given data.

Maximum Speed (Km/h)	Frequency
10 – 20	5
20 – 30	5
30 – 40	10
40 – 50	8
50 – 60	0
60 – 70	2

Solution


Solution:-

Histogram is a type of bar diagram, where the class intervals are shown on the horizontal axis and the heights of the bars (rectangles) show the frequency of the class interval, but there is no gap between the bars as there is no gap between the class intervals.



Question 84

Given below is a pie chart showing the time spend by a group of 350 children in different games. Observe it and answer the questions that follow.



(a) How many children spend at least one hour in playing games?

Solution

Solution:-

From the given pie chart,

Percentage of children who at least spend one hour in playing = $16 + 30 + 34 + 10 + 4$

= 94 %

Number of children out of 350 who at least spend one hour in playing = $(94/100) \times 350$
 $= 0.94 \times 350$
 $= 329$ children

(b) How many children spend more than 2 hours in playing games?

Solution:-

From the given pie chart,

Percentage of children who spend 2 hours in playing = $34 + 10 + 4$
 $= 48 \%$

Number of children out of 350 who at least spend one hour in playing = $(48/100) \times 350$
 $= 0.48 \times 350$
 $= 168$ children

(c) How many children spend 3 or lesser hours in playing games?

Solution:-

From the given pie chart,

Percentage of children who at least spend one hour in playing = $6 + 16 + 30 + 34$
 $= 86 \%$

Number of children out of 350 who at least spend one hour in playing = $(86/100) \times 350$
 $= 0.86 \times 350$
 $= 301$ children

(d) Which is greater — number of children who spend 2 hours or more per day or number of children who play for less than one hour?

Solution:-

Number of children who spend 2 hours or more per day = $30 + 34 + 10 + 4 = 78\%$
 $= (78/100) \times 350$
 $= 0.78 \times 350$

= 273 children

Number of children who play for less than one hour = 6%

$$= (6/100) \times 350$$

$$= 0.06 \times 350$$


= 21 children

So, by comparing both it is clear that number of children who spend 2 hours or more per day is greater

Question 85

The pie chart on the right shows the result of a survey

Carried out to find the modes of travel used by the children to go to school. Study the pie chart and answer the questions that follow.



(a) What is the most common mode of transport?

Solution

Solution:-

By observing the given pie chart the most common mode of transport is Bus i.e. its central angle is 120° .

(b) What fraction of children travel by car?

Solution:-

By observing the given pie chart, central angle of the children travel by car is 90° .

Then,

The fraction of children travel by car,

$$= (90^{\circ}/360^{\circ})$$

$$= 9/36 \dots [\text{divide both numerator and denominator by 9}]$$

$$= \frac{1}{4}$$

(c) If 18 children travel by car, how many children took part in the survey?

Solution:-

Let us assume total number of children took part in the survey be y

Number of children travel by car = $(\frac{1}{4})$ of total number of children

$$18 = \frac{1}{4} \times y$$

$$Y = 18 \times 4$$

$$Y = 72$$

So, 72 children took part in the survey.

(d) How many children use taxi to travel to school?

Solution:-

$$\text{Central angle of children use taxi to travel to school} = (360^{\circ} - (120^{\circ} + 60^{\circ} + 90^{\circ} + 60^{\circ}))$$

$$= (360^{\circ} - 330^{\circ})$$

$$= 30^{\circ}$$

Then,

$$\text{Out of 72 children number of children use taxi to travel to school} = (30^{\circ}/360^{\circ}) \times 72$$

$$= 6$$

(e) By which two modes of transport are equal number of children travelling?

Solution:-

By observing the given pie chart, cycle and walk are the two modes of transport are equal number of children travelling. Because, central angle of the two modes are same i.e. 60° .

Question 86

A dice is rolled once. What is the probability that the number on top will be

- (a) Odd
- (b) Greater than 5
- (c) A multiple of 3
- (d) Less than 1
- (e) A factor of 36
- (f) A factor of 6

Solution

Solution:-

A dice is rolled once, the possible outcomes are 1, 2, 3, 4, 5 and 6.

Then,

The probability that the number on top will be

- (a) Odd

Odd numbers in the dice are 1, 3, 5

Then,

Probability = total number of odd numbers/ Total number of outcomes

= $\frac{3}{6}$... [divide numerator and denominator by 3]

= $\frac{1}{2}$

- (b) Greater than 5

Greater than 5 is 6

Then,

Probability = total number Greater than 5/ Total number of outcomes

$$= 1/6$$

(c) A multiple of 3

Multiple of 3 = 3 and 6

Then,

Probability = total number of multiple of 3/ Total number of outcomes

$$= 2/6 \dots [\text{divide numerator and denominator by 2}]$$

$$= 1/3$$

(d) Less than 1

There is no number is less than 1.

So, probability of less than 1 = 0

(e) A factor of 36

Factors of 36 are 1, 2, 3, 4 and 6

Probability = total number of factor of 36/ Total number of outcomes

$$= 5/6$$

(f) A factor of 6

Factors of 6 are 1, 2, 3 and 6

Probability = total number of factor of 6/ Total number of outcomes

$$= 4/6 \dots [\text{divide numerator and denominator by 2}]$$

$$= 2/3$$

Question 87

Classify the following statements under appropriate headings.

(a) Getting the sum of angles of a triangle as 180° .

(b) India winning a cricket match against Pakistan.

(c) Sun setting in the evening.

(d) Getting 7 when a die is thrown.

(e) Sun rising from the west.

(f) Winning a racing competition by you.

Certain to happen	Impossible to happen	May or may not happen

Solution

Solution:-

- (a) It is certain to happen. Because, the sum of angles of a triangle as 180° .
- (b) It may or may not happen. Because, the result of match is unpredictable.
- (c) It is certain to happen. Because, the sun always sets in the evening.
- (d) It is impossible to happen. Because, 7 is not an outcome when a dice is thrown.
- (e) It is impossible to happen. Because, Sun always rises from the east.
- (f) It may or may not happen. Because, the result is unpredictable.

Question 89

Ritwik draws a ball from a bag that contains white and yellow balls. The probability of choosing a white ball is $\frac{2}{9}$. If the total number of balls in the bag is 36, find the number of yellow balls.

Solution

Solution:-

From the question is given that,

Probability of choosing a white ball is $= \frac{2}{9}$

The total number of balls in the bag is $= 36$

Number of white ball chosen $= (\frac{2}{9}) \times 36$

$= 8$ white balls


Then, the number of yellow balls $=$ Total balls in bag $-$ number of white balls

$= 36 - 8$

= 28 yellow balls

Question 90

Look at the histogram below and answer the questions that follow.



(a) How many students have height more than or equal to 135 cm but less than 150 cm?

Solution

Solution:-

By observing the given histogram,

Students have height more than or equal to 135 cm but less than 150 = $14 + 18 + 10$

= 42

(b) Which class interval has the least number of students?

Solution:-

150 – 155 has the least number of students i.e. 4.

(c) What is the class size?

Solution:-

The difference between the upper and lower limit of a class interval is called the

Size of the class interval.

Size = Upper limit – Lower limit

$$= 130 - 125$$

$$= 5$$

(d) How many students have height less than 140 cm?

Solution:-

By observing the given histogram,

Students have height less than 140 cm = 6 + 8 + 14

$$= 28$$

Question 91

Following are the number of members in 25 families of a village:

6, 8, 7, 7, 6, 5, 3, 2, 5, 6, 8, 7, 7, 4, 3, 6, 6, 6, 7, 5, 4, 3, 3, 2, 5. Prepare a frequency distribution table for the data using class intervals 0 –2, 2 –4, etc.

Solution

Solution:-

First, we have to arrange the number of members in 25 families of a village in ascending order.

$$= 2, 2, 3, 3, 3, 3, 4, 4, 5, 5, 5, 5, 6, 6, 6, 6, 6, 6, 7, 7, 7, 7, 7, 8, 8.$$

Now, we will draw the frequency table of the given data.

Class intervals	Tally Marks	Frequency
0 – 2		0
2 – 4	I	6
4 – 6	I	6
6 – 8	I	11
8 – 10		2
Total		25

Question 92

Draw a histogram to represent the frequency distribution in question 91.


Solution

Solution:-

Scale:

On X – axis, 1 big division = 2 member

On Y – axis, 1 big division = 2 family



Question 93

The marks obtained (out of 20) by 30 students of a class in a test are as follows:

14, 16, 15, 11, 15, 14, 13, 16, 8, 10, 7, 11, 18, 15, 14, 19, 20, 7, 10, 13, 12, 14, 15, 13, 16, 17, 14, 11, 10, 20.

Prepare a frequency distribution table for the above data using class intervals of equal width in which one class interval is 4 –8 (excluding 8 and including 4).

Solution

Solution:-

First, we have to arrange marks obtained (out of 20) by 30 students in ascending order.


= 7, 7, 8, 10, 10, 10, 11, 11, 11, 12, 13, 13, 13, 14, 14, 14, 14, 14, 15, 15, 15, 15, 16, 16, 16, 17, 18, 19, 20, 20.

Now, we will draw the frequency table of the given data.

Class intervals	Tally Marks	Frequency
4 – 8		2
8 – 12		7
12 – 16		13
16 – 20		6
20 – 24		2
Total		30

Question 94

Prepare a histogram from the frequency distribution table obtained in question 93.

Solution**Solution:-**

Scale:

On X – axis, 1 big division = 4 marks

On Y – axis, 1 big division = 2 students

Question 95

The weights (in kg) of 30 students of a class are:

39, 38, 36, 38, 40, 42, 43, 44, 33, 33, 31, 45, 46, 38, 37, 31, 30, 39, 41, 41, 46, 36, 35, 34, 39, 43, 32, 37, 29, 26.

Prepare a frequency distribution table using one class interval as (30 – 35), 35 not included.

(i) Which class has the least frequency?

(ii) Which class has the maximum frequency?

Solution**Solution:-**

First, we have to arrange the weights (in kg) of 30 students of a class in ascending order.

= 26, 29, 30, 31, 31, 32, 33, 33, 34, 35, 36, 36, 37, 37, 38, 38, 38, 39, 39, 39, 40, 41, 41, 42, 43, 43, 44, 45, 46, 46

Now, we will draw the frequency table of the given data.

Class intervals	Tally Marks	Frequency
25 – 30		2
30 – 35		7
35 – 40		11
40 – 45		7
45 – 50		3
Total		30

(i) Class first has the least frequency.

(ii) Class third has the maximum frequency.

Question 96

Shoes of the following brands are sold in Nov. 2007 at a shoe store. Construct a pie chart for the data.

Brand	Number of pair of shoes sold
A	130
B	120
C	90
D	40
E	20


Solution

Solution:-

From the table,

Total number of pairs of shoes sold = $130 + 120 + 90 + 40 + 20$

= 400



Central angle of pie chart for each brands,

$$A = (130/400) \times 360^\circ$$

$$= 117^\circ$$

$$B = (120/400) \times 360^\circ$$

$$= 108^\circ$$

$$C = (90/400) \times 360^\circ$$

$$= 81^\circ$$

$$D = (40/400) \times 360^\circ$$


$$= 36^\circ$$

$$E = (20/400) \times 360^\circ$$

$$= 18^\circ$$

Question 97

The following pie chart depicts the expenditure of a state government under different heads.



(i) If the total spending is 10 crores, how much money was spent on roads?

Solution

Solution:-

Given, total amount spent by state government under different heads = 10 crores

From the given pie chart,

Percentage of money spent on Roads = 10 %

Total money spent on Roads = $(10/100) \times 100000000$

= 1,00,00,000

(ii) How many times is the amount of money spent on education compared to the amount spent on roads?

Solution:-

Given, the total amount spent by the state government under different heads = 10 crores

From the given pie chart,

Percentage of money spent on Roads = 10 %

Total money spent on Roads = $(10/100) \times 100000000$

= ₹ 1,00,00,000

Percentage of money spent on Education = 25 %

Total money spent on Education = $(25/100) \times 100000000$

= ₹ 2,50,00,000

Then,

= Total money spent on Education/ Total money spent on Roads

= ₹ 2,50,00,000/₹ 1,00,00,000

= ₹ 25/10

∴ Money spent on education is 2.5 times of money spent on roads.

(iii) What fraction of the total expenditure is spent on both roads and public welfare together?

Solution:-

Given, the total amount spent by the state government under different heads = 10 crores

From the given pie chart,

Percentage of money spent on Roads = 10 %

Percentage of money spent on Public Welfare = 20 %

So,

Fraction of the total expenditure is spent on both roads and public welfare together,

= 10% + 20%

= (10/100) + (20/100)

= (1/10) + (2/10)

= (3/10)

Question 98

The following data represents the different numbers of animals in a zoo. Prepare a pie chart for the given data.

Animals	Number of animals
Deer	42
Elephant	15
Giraffe	26


Reptiles	24
Tiger	13

Solution

Solution:-

From the table,

Total number of animals in a zoo = 42 + 15 + 26 + 24 + 13



= 120

Central angle of pie chart for each animals,

$$\text{Deer} = (42/120) \times 360^\circ$$

$$= 126^\circ$$

$$\text{Elephant} = (15/120) \times 360^\circ$$

$$= 45^\circ$$

$$\text{Giraffe} = (26/120) \times 360^\circ$$

$$= 78^\circ$$

$$\text{Reptiles} = (24/120) \times 360^\circ$$

$$= 72^\circ$$


$$\text{Tiger} = (13/120) \times 360^\circ$$

$$= 39^0$$

Question 99**Playing cards**

(a) From a pack of cards, the following cards are kept face down:

[Queen, King and Jack cards are called face cards.]



Suhail wins if he picks up a face card. Find the probability of Suhail winning.

Solution**Solution:-**

From the above figure,

Number of face cards = 1


Total number of cards = 7

Number of outcomes = 7

Probability = Number of face cards / Total number cards

$$= 1/7$$

(b) Now the following cards are added to the above cards:



What is the probability of Suhail winning now? Reshma wins if she picks up a 4. What is the probability of Reshma winning?

[Queen, King and Jack cards are called face cards.]

Solution:-

Number of face cards = 4

Total number of cards = 15

Number of outcomes = 15

Probability = Number of face cards / Total number of cards

= 4/15

Question 100

Construct a frequency distribution table for the following weights (in grams) of 35 mangoes, using equal class intervals; one of them is 40 – 45 (45 not included).

30, 40, 45, 32, 43, 50, 55, 62, 70, 70, 61, 62, 53, 52, 50, 42, 35, 37, 53, 55, 65, 70, 73, 74, 45, 46, 58, 59, 60, 62, 74, 34, 35, 70, 68.

(a) How many classes are there in the frequency distribution table?

(b) Which weight group has the highest frequency?

Solution

Solution:-

First, we have to arrange the weights (in grams) of 35 mangoes in ascending order.

= 30, 32, 34, 35, 35, 37, 40, 42, 43, 45, 45, 46, 50, 50, 52, 53, 53, 55, 55, 58, 59, 60, 61, 62, 62, 62, 65, 68, 70, 70, 70, 70, 73, 74, 74.

Now, we will draw the frequency table of the given data.

Class intervals	Tally Marks	Frequency
30 – 35		3
35 – 40		3
40 – 45		3
45 – 50		3
50 – 55		5
55 – 60		4
60 – 65		5
65 – 70		2
70 – 75		7
Total		35

(a) There are nine classes in the frequency distribution table.

(b) 70 – 75 weight has the highest frequency.

Question 101

Complete the following table:

Weights (in kg)	Tally Marks	Frequency (Number of persons)
40 – 50		
50 – 60		
60 – 70		
70 – 80		
80 – 90		

Find the total number of persons whose weights are given in the above table.

Solution

Solution:-

Weights (in kg)	Tally Marks	Frequency (Number of persons)
40 – 50		12
50 – 60		14
60 – 70		6
70 – 80		2
80 – 90		1
Total		35

Question 102

Draw a histogram for the following data.

Class interval	10 – 15	15 – 20	20 – 25	25 – 30	30 – 35	35 – 40
Frequency	30	98	80	58	29	50


Solution

Solution:-

Scale:

On X – axis, 1 big division = 5 marks

On Y – axis, 1 big division = 10 students



Question 103

In a hypothetical sample of 20 people, the amount of money (in thousands of rupees) with each was found to be as follows:

114, 108, 100, 98, 101, 109, 117, 119, 126, 131, 136, 143, 156, 169, 182, 195, 207, 219, 235, 118.

Draw a histogram of the frequency distribution, taking one of the class intervals as

50 –100.

Solution**Solution:-**


From the data given in the question, first, we have to prepare a frequency distribution table,

Amount (in thousands)	Tally Marks	Frequency
50 – 100	I	1
100 – 150		12
150 – 200		4
200 - 250		3

Scale:


On X – axis, 1 big division = 50 ₹ marks

On Y – axis, 1 big division = 2 persons

**Question 104**

The below histogram shows the number of literate females in the age group of 10 to 40 years in a town.

- (a) Write the classes assuming all the classes are of equal width.
- (b) What is the class's width?
- (c) In which age group are literate females the least?
- (d) In which age group is the number of literate females the highest?




Solution

Solution:-

- (a) The classes are, 10-15, 15-20, 20-25, 25-30, 30-35, and 35-40
- b) The class width is $15 - 10 = 5$
- c) In the class first group i.e. 10-15 have the least female literate.
- d) In the class second group i.e. 15-20 have the highest female literate.

Question 105

The following histogram shows the frequency distribution of teaching experiences of 30 teachers in various schools:



(a) What is the class width?

Solution

Solution:-

The width of the class is 5.

(b) How many teachers have the maximum teaching experience, and how many have the least teaching experience?

Solution:-

Teachers having maximum teaching experience is 2, and Teachers having least teaching experience is 5.

(c) How many teachers have teaching experience of 10 to 20 years?

Solution:-

Teachers have teaching experience of 10 to 20 years is $7 + 2 = 9$.

Question 106

In a district, the number of branches of different banks is given below:

Bank	State Bank of India	Bank of Baroda	Punjab National Bank	Canara Bank
------	---------------------	----------------	----------------------	-------------

Number of Branches	30	17	15	10
--------------------	----	----	----	----


Draw a pie chart for this data.

Solution

Solution:-

From the table,

Total number of branches of different banks in a district = $30 + 17 + 15 + 10$



Central angle of pie chart for each bank,

$$\text{State Bank of India} = (30/72) \times 360^\circ$$

$$= 150^\circ$$

$$\text{Bank of Baroda} = (17/72) \times 360^\circ$$

$$= 85^\circ$$

$$\text{Punjab National bank} = (15/72) \times 360^\circ$$

$$= 75^\circ$$

$$\text{Canara Bank} = (10/72) \times 360^\circ$$

$$= 50^\circ$$

Question 107

For the development of basic infrastructure in a district, a project of Rs 108 crore approved by the Development Bank is as follows:

Item Head	Road	Electricity	Drinking water	Sewerage
Amount in crore (Rs)	43.2	16.2	27.00	21.6

Draw a pie chart for this data.

Solution

Solution:-

From the question,


Total number approved = 108 crore

Central angle of pie chart for each infrastructure,

$$\text{Road} = (43.2/108) \times 360^\circ$$

$$= 144^\circ$$

$$\text{Electricity} = (16.2/108) \times 360^\circ$$



$$\text{Drinking water} = (27/108) \times 360^\circ$$

$$= 90^\circ$$

$$\text{Sewerage} = (21.6/108) \times 360^\circ$$

$$= 72^\circ$$

Question 108

In the time table of a school, periods allotted per week to different teaching subjects are given below:

Subject	Hindi	English	Maths	Science	Social Science	Computer	Sanskrit
Periods Allotted	7	8	8	8	7	4	3

Draw a pie chart for this data.

Solution


Solution:-

From the question,

Total number periods allotted = $7 + 8 + 8 + 8 + 7 + 4 + 3 = 45$ periods

Central angle of pie chart for each subject,

$$\text{Hindi} = (7/45) \times 360^\circ$$



$$= 56^\circ$$

$$\text{English} = (8/45) \times 360^\circ$$

$$= 64^\circ$$

$$\text{Maths} = (8/45) \times 360^\circ$$

$$= 64^\circ$$

$$\text{Science} = (8/45) \times 360^\circ$$

$$= 64^\circ$$

$$\text{Social Science} = (7/45) \times 360^\circ$$

$$= 56^\circ$$

$$\text{Computer} = (4/45) \times 360^\circ$$

$$= 32^\circ$$

$$\text{Sanskrit} = (3/45) \times 360^\circ$$

$$= 24^\circ$$

Question 109

A survey was carried out to find the favourite beverage preferred by a certain group of young people. The following pie chart shows the findings of this survey. From this pie chart, answer the following:



(i) Which type of beverage is liked by the maximum number of people?

Solution

Solution:-

Cold drink is liked by the maximum number of people.

(ii) If 45 people like tea, how many people were surveyed?

Solution:-

From the question, it is given that,

45 people like tea

Then,

Let us assume the total number of people surveyed be x ,

$$= 45 = (15/100) \times (x)$$

$$= 45 = 0.15x$$

$$= x = 45/0.15$$

$$= x = 300$$

So, the total number of people surveyed is 300.

Question 110

The following data represents the approximate percentage of water in various oceans. Prepare a pie chart for the given data.

Pacific 40%

Atlantic 30%

Indian 20%

Others 10%


Solution

Solution:-

The central angle of the given approximate percentage of water in various oceans,

$$\text{Pacific} = (40/100) \times 360^\circ$$

$$= 144^\circ$$



$$\text{Atlantic} = (30/100) \times 360^\circ$$

$$= 108^\circ$$

$$\text{Indian} = (20/100) \times 360^\circ$$


$$= 72^\circ$$

$$\text{Others} = (10/100) \times 360^\circ$$

$$= 36^\circ$$

Question 111

At a Birthday Party, the children spin a wheel to get a gift. Find the probability of



(a) getting a ball

Solution

Solution:-

Number of balls in wheel = 2

Total number of gifts = 8

Probability of getting a ball = Number of balls in wheel/ total number of gifts

= $\frac{2}{8}$... [divide both by 2]

= $\frac{1}{4}$

(b) getting a toy car**Solution:-**

Number of cars in wheel = 3

Total number of gifts = 8

Probability of getting a ball = Number of balls in wheel/total number of gifts
 $= 3/8$

(c) any toy except a chocolate**Solution:-**


Number of toys except a chocolate = 7

Total number of gifts = 8

Probability of getting a ball = Number of balls in wheel/total number of gifts
 $= 7/8$

Question 112

Sonia picks up a card from the given cards.



Calculate the probability of getting

(a) an odd number

Solution**Solution:-**

Total number of odd numbers in given cards = 5

Total number of cards = 10

Probability of getting an odd number = Total number of odd numbers/ total number of cards

$$= 5/10$$

$$= \frac{1}{2}$$

(b) a Y card

Solution:-

Total number of y cards = 3

Total number of cards = 10

Probability of getting a Y card = Total number of Y cards/ total number of cards

$$= 3/10$$

(c) a G card

Total number of G cards = 2

Total number of cards = 10

Probability of getting a Y card = Total number of Y cards/ total number of cards

$$= 2/10$$

$$= 1/5$$

(d) B card bearing number > 7

Total number B card bearing number > 7 = 0

Total number of cards = 10


Probability of getting a Y card = Total number B card bearing number > 7/ total number of cards

$$= 0/10$$

$$= 0$$

Question 113

Identify which symbol should appear in each sector in 113, 114.

**Solution****Solution:-**

From the given figure,

$$\text{Total number of symbol} = 800 + 700 + 550 + 450 = 2500$$

Then,

$$(i) = (32/100) \times 2500$$

$$= 800$$

∴  symbol should appear in sector having 32%.

$$\begin{aligned} \text{(ii)} &= (28/100) \times 2500 \\ &= 700 \end{aligned}$$

∴  symbol should appear in sector having 28%.


$$\begin{aligned} \text{(iii)} &= (22/100) \times 2500 \\ &= 550 \end{aligned}$$

∴  symbol should appear in sector having 22%.

$$\begin{aligned} \text{(iv)} &= (18/100) \times 2500 \\ &= 450 \end{aligned}$$

∴  symbol should appear in sector having 18%.

Question 114



Solution

Solution:-

From the given figure,

$$\text{Total number of ice-creams} = 192 + 228 + 180 = 600$$

Then,

$$(i) = (38/100) \times 600$$

$$= 228$$

∴



yellow colour ice cream should appear in sector having 38%.

$$(ii) = (32/100) \times 600$$

$$= 192$$

∴



red colour ice cream should appear in sector having 32%.

$$(iii) = (30/100) \times 600$$

$$= 180$$


∴



pink colour ice cream should appear in sector having 30%.

Question 115

A financial counsellor gave a client this pie chart describing how to budget his income. If the client brings home Rs. 50,000 each month, how much should he spend in each category?



Solution

Solution:-

From the question it is given that,

Total money spent on 7 categories = Rs. 50,000

Then,

(1) Money spent on Housing = $(30/100) \times 50,000$

= Rs. 15,000

(2) Money spent on Food (including eating out) = $(20/100) \times 50,000$

= Rs. 10,000

(3) Money spent on Car Loan and Maintenance = $(25/100) \times 50,000$

= Rs. 12,500

(4) Money spent on Utilities = $(10/100) \times 50,000$

= Rs. 5,000

(5) Money spent on Phone = $(5/100) \times 50,000$

= Rs. 2,500

(6) Money spent on Clothing = $(5/100) \times 50,000$


= Rs. 2,500

(7) Money spent on Entertainment = $(5/100) \times 50,000$

= Rs. 2,500

Question 116

Following is a pie chart showing the amount spent in rupees (in thousands) by a company on various modes of advertising for a product.



Now answer the following questions.

1. Which type of media advertising is the greatest amount of the total?
2. Which type of media advertising is the least amount of the total?
3. What per cent of the total advertising amount is spent on direct mail campaigns?
4. What per cent of the advertising amount is spent on newspaper and magazine advertisements?
5. What media types do you think are included in miscellaneous?

Why aren't those media types given their own category?

Solution

Solution:-

From the given figure,

The type of media advertising is the greatest amount of the total is Newspaper.

Solution:-

From the given figure,

The type of media advertising is the least amount of the total is Radio.

Solution:-

From the given figure,

Total amount spent by a company on various modes of advertising for a product,

$$= 40 + 42 + 23 + 7 + 11 + 39 + 14 + 15 + 9$$

$$= \text{Rs. } 200$$

Then,

Per cent of the total advertising amount is spent on direct mail campaigns

$$= (39/200) \times 100$$

$$= 19.5\%$$

Solution:-

From the given figure,

Total amount spent by a company on various modes of advertising for a product,

$$= 40 + 42 + 23 + 7 + 11 + 39 + 14 + 15 + 9$$

$$= \text{Rs. } 200$$

Then,

Per cent of the total advertising amount is spent on newspaper and magazine

$$= ((42 + 23)/200) \times 100$$

$$= (65/200) \times 100$$

$$= 32.5\%$$

Solution:-

Internet and web media are included in miscellaneous.