

Chapter 9: Light Reflection and Refraction

NCERT · Class 10 · Science

Textbook exercises

Question 1

What is the principal focus of a concave mirror?

Solution

Ans: The light rays parallel to the principal axis converge at a point on the principal axis after reflecting from the concave mirror.

The point of convergence on the principal axis of a concave mirror is called the principal focus of a concave mirror.

Question 2

What is the focal length of a spherical mirror whose radius of curvature is 20cm ?

Solution

Ans: It is given that,

Radius of curvature of a spherical mirror, $R = 20\text{cm}$

It is known that,

Radius of curvature is twice the focal length.

$$R = 2f$$

$$\Rightarrow f = R/2$$

$$\Rightarrow f = \frac{20}{2}$$

$$\Rightarrow f = 10\text{cm}$$

Therefore, the focal length of a spherical mirror with the radius of curvature equal to 20cm is $f = 10\text{cm}$.

Question 3

Which mirror gives an erect and enlarged image of an object?

Solution

Ans: If the object is placed between pole and the principal focus of a concave mirror the image formed is virtual, erect and enlarged.

Erect and enlarged images are not possible in case of convex or plane mirrors.

Question 4

Why is convex mirror preferred as a rear-view mirror in vehicles?

Solution

Ans: If the objects are placed in front of a convex mirror, then the image formed is an erect and diminished image.

In vehicles we need erect images and we need to see as many areas as possible behind the vehicles.

So, a convex mirror is preferred as a rear-view mirror in vehicles.

Question 5

What is the focal length of a convex mirror whose radius of curvature is 32cm ?

Solution

Ans: It is given that,

Radius of curvature of a convex mirror, $R = 32\text{cm}$

It is known that,

Radius of curvature is twice the focal length.

$$R = 2f$$

$$\Rightarrow f = R/2$$

$$\Rightarrow f = \frac{32}{2}$$

$$\Rightarrow f = 16\text{cm}$$

Therefore, the focal length of a convex mirror with the radius of curvature equal to 32cm is $f = 16\text{cm}$.

Question 6

Find the location of image for a concave mirror that produces three times magnified (enlarged) real image of the object placed at 10cm in front of it.

Solution

Ans: It is given that,

Distance of object in front of mirror, $u = -10\text{cm}$ (negative sign due to the location of the object in front of the mirror)

Distance of image from mirror, $v = ?$

It is known that,

$$\text{Magnification of a spherical mirror, } m = \frac{h_i}{h_o} = -\frac{v}{u}$$

where,

h_i is the height of the image

h_o is the height of the object

Let, $h_o = h$

It is given that three times the enlarged real image of the object is produced.

So, $h_i = -3h$ (— due to real image formation)

$$\Rightarrow m = -\frac{3h}{h} = -\frac{v}{u}$$

$$\Rightarrow 3 = \frac{v}{-10}$$

$$\Rightarrow v = -30\text{cm}(\text{negative sign due to the formation of inverted image})$$

Therefore, the location of image from the mirror is at a distance of 30cm and the nature of the image is inverted.

Question 7

When a light ray travelling in the air enters obliquely into the water, how does it bend towards the normal or away from the normal? State reason.

Solution

Ans: When a light ray is travelling from the rarer medium to denser medium, it refracts towards the normal.

Here, the light ray bends towards the normal because the light ray is moving from air(rarer) to water(denser) medium.

Question 8

Find the speed of light in glass if the light enters from air to glass having a refractive index of 1.50. Take the speed of light in vacuum, $c = 3 \times 10^8 \text{ms}^{-1}$.

Solution

Ans: It is given that,

Refractive index of glass, $\mu = 1.50$

Speed of the light in vacuum, $c = 3 \times 10^8 \text{ms}^{-1}$

Speed of the light in glass, $v_g = ?$

It is known that,

$$\mu = \frac{c}{v_g}$$

$$\Rightarrow 1.5 = \frac{3 \times 10^8 \text{ms}^{-1}}{v_g}$$

$$\Rightarrow v_g = \frac{3 \times 10^8}{1.5}$$

$$\Rightarrow v_g = 2 \times 10^8 \text{ ms}^{-1}$$

Therefore, the speed of light in glass is $v_g = 2 \times 10^8 \text{ ms}^{-1}$.

Question 9

From the table, find the medium having the highest optical density and the lowest optical density.

Material medium	Refractive Index	Material medium	Refractive Index
Air	1.0003	Crown glass	1.52
Ice	1.31	Canada Balsam	1.53
Water	1.33	Rock salt	1.54
Alcohol	1.36	Carbon disulphide	1.63
Kerosene	1.44	Dense flint glass	1.65
Fused quartz	1.46	Ruby	1.71
Turpentine oil	1.47	Sapphire	1.77
Benzene	1.50	Diamond	2.42

Solution

Ans: To find the materials of highest and lowest optical densities check for its refractive index. The one with the highest refractive index will have the highest optical density and the one with lowest refractive index will have the lowest optical density.

The highest optical density is for Diamond i.e., $\mu = 2.42$

The lowest optical density is for Air i.e., $\mu = 1.0003$

Question 10

Among kerosene, turpentine oil and water in which medium does the light travel fastest? Refer to the table for refractive index.

Material Medium	Refractive Index	Material Medium	Refractive Index
Air	1.0003	Crown Glass	1.52
Ice	1.31	Canada Balsam	1.53
Water	1.33	Rock Salt	1.54
Alcohol	1.36	Carbon Disulphide	1.63
Kerosene	1.44	Dense Flint Glass	1.65
Fused Quartz	1.46	Ruby	1.71
Turpentine Oil	1.47	Sapphire	1.77
Benzene	1.50	Diamond	2.42

Solution

Ans: It is known that,

$$\text{Absolute refractive index, } \mu = \frac{c}{v_m}$$

where,

$$c \text{ is the speed of light in vacuum} = 3 \times 10^8 \text{ ms}^{-1}$$

v_m is the speed of light in medium

$$\Rightarrow \mu \propto \frac{1}{v_m} \text{ (c is constant)}$$

To compare the speed of light we compare the refractive index. Speed of light and refractive index are inversely proportional i.e., if the refractive index is more than the speed of light is less.

The order of refractive index among kerosene, turpentine oil and water is

$$\mu_{\text{kerosene}} > \mu_{\text{turpentineoil}} > \mu_{\text{water}} .$$

The order of speed of light becomes $\mu_{\text{kerosene}} < \mu_{\text{turpentineoil}} < \mu_{\text{water}} .$

Therefore, the speed of light is fastest in water.

Question 11

What is the meaning of the statement “The refractive index of diamond is 2.42”?

Solution

Ans: It is known that,

$$\text{Refractive index of a medium, } \mu = \frac{c}{v_m}$$

where,

c is the speed of light in vacuum

v_m is the speed of light in medium

$$2.42 = \frac{c}{v_d}$$

“The refractive index of diamond is 2.42” means that the speed of light in vacuum is 2.42 times the speed of light in diamond or the speed of light in diamond is $\frac{1}{2.42}$ times the speed of light in vacuum.

Question 12

What is 1 dioptre of power of a lens?

Solution

Ans: When f is the focal length in metres of a lens with power P then $P = \frac{1}{f(\text{metres})} .$

Dioptre is the S.I. unit of power of a lens and is denoted by D .

The power of a lens of focal length 1 metre is defined as 1 dioptre.

Question 13

Image formed by a convex lens is real and inverted and at a distance of 50cm from the lens. Find the position of the needle in front of the convex lens when the image is equal to the size of the object. Also, calculate the power of the lens.

Solution

Ans: It is given that,

Distance of image from convex lens, $v = 50\text{cm}$

Distance of object in front of lens, $u = ?$

The image formed is real and inverted. So, the magnification of the lens is -1 .

Image source: Self-created

It is known that,

Magnification of a convex lens, $m = \frac{v}{u}$

$$\Rightarrow -1 = \frac{v}{u}$$

$$\Rightarrow -1 = \frac{50}{u}$$

$$\Rightarrow u = -50\text{cm}$$

Lens formula: $\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$

f is the focal length of the lens.

$$\Rightarrow \frac{1}{f} = \frac{1}{50} - \frac{1}{(-50)}$$

$$\Rightarrow \frac{1}{f} = \frac{1}{50} + \frac{1}{50}$$

$$\Rightarrow \frac{1}{f} = \frac{2}{50}$$

$$\Rightarrow f = \frac{50}{2}$$

$$\Rightarrow f = 25\text{cm} = 0.25\text{m}$$

It is known that,

$$\text{Power of the lens, } P = \frac{1}{f(\text{metres})}$$

$$\Rightarrow P = \frac{1}{(+0.25)}$$

$$\Rightarrow P = +4D$$

Therefore, the object distance from the lens is $u = -50\text{cm}$ and power of the lens is $P = +4D$.

Question 14

What is the power of a concave lens of focal length 2m ?

Solution

Ans: It is given that,

Focal length of a concave lens is, $f = -2\text{m}$

$$\text{Power of the concave lens, } P = \frac{1}{f(\text{metres})}$$

$$\Rightarrow P = \frac{1}{(-2)}$$

$$\Rightarrow P = -0.5D$$

Therefore, the power of a concave lens is $P = -0.5D$.

Question 15

Which one of the following materials cannot be used to make a lens?

1. Water
2. Glass
3. Plastic
4. Clay

Solution

Ans: d) Clay can't be used to make a lens because it is opaque.

Question 16

The image formed by a concave mirror is observed to be virtual, erect and larger than the object. Where should the position of the object be?

1. Between the principal focus and the centre of curvature
2. At the centre of curvature
3. Beyond the centre of curvature
4. Between the pole of the mirror and its principal focus.

Solution

Ans: d) The object is placed between the pole of the mirror and its principal focus when the image formed is virtual, erect and larger than the object in the concave mirror.

Question 17

Where should an object be placed in front of a convex lens to get a real image of the size of the object?

1. At the principal focus of the lens
2. At twice the focal length
3. At infinity
4. Between the optical centre of the lens and its principal focus

Solution

Ans: b) An object should be placed at a distance of twice the focal length of a convex lens to get a real image of the size of the object.

Question 18

A spherical mirror and a thin spherical lens have each a focal length of -15cm . The mirror and the lens are likely to be

1. Both concave
2. Both convex
3. The mirror is concave and the lens is convex
4. The mirror is convex, but the lens is concave

Solution

Ans: a) For a concave lens the primary focus is on the same side as the object and is negative. In the case of a concave mirror, the focus is in front of the mirror and negative. Therefore, the mirror and lens are likely to be concave.

Question 19

No matter how far you stand from a mirror, your image appears erect. The mirror is likely to be

1. Plane
2. Concave
3. Convex
4. Either plane or convex

Solution

Ans: d) Erect images are produced by both plane and convex mirrors for objects at any position.

Question 20

Which of the following lenses would you prefer to use while reading small letters found in a dictionary?

1. A convex lens of focal length

50 cm

2. A concave lens of focal length

50 cm

3. A convex lens of focal length

5 cm

4. A concave lens of focal length

5 cm

Solution

Ans: a) When the object is placed between focus and optic centre, magnified and erect images are formed in a convex lens. So, while reading small letters a convex lens is preferred.

Question 21

We wish to obtain an erect image of an object, using a concave mirror of focal length

15 cm

. What should be the range of distance of the object from the mirror? What is the nature of the image? Is the image larger or smaller than the object? Draw a ray diagram to show the image formation in this case.

Solution

Ans: To obtain an erect image in a concave mirror the object should be placed between Focus and the Optic centre.

Here, the focal length of the concave mirror is given as 15cm.

Therefore, the range of distance of the object from the mirror is from 0cm to 15cm.

The nature of the image is virtual.

The image is larger than the object.

A virtual, erect and magnified image is formed.

Question 22

Name the type of mirror used in the following situations and support your answer with reason.

1. Headlights of a car

Solution

Ans: In the headlights of a car, a concave mirror is used. Because in concave mirrors a parallel beam of light is produced if the bulb is placed at the focus.

1. Side/Rear-View Mirror of a Vehicle

Ans: In a side/rear-view mirror of a vehicle, a convex mirror is used. Because when objects are placed in front of the convex mirror, erect and diminished images are formed which gives a wider field of view.

1. Solar Furnace

Ans: In solar furnaces, Concave mirrors are used. They converge sunlight to a point and produce high temperatures because of their converging properties.

Question 23

One-half of a convex lens is covered with a black paper. Will this lens produce a complete image of the object? Verify your answer experimentally. Explain your observations.

Solution

Ans: Yes, the lens produces a complete image of the object with less intensity.

Consider the following two cases:

In the first case the lower half of the lens is covered with black paper. Light rays coming from the object are refracted only from the upper half and the image is formed, whereas in the lower half the light rays are blocked.

In the second case the upper half of the lens is covered with black paper. Light rays coming from the object are refracted only from the lower half and the image is formed, whereas in the upper half the light rays are blocked.

Therefore, change in intensity of the image is observed i.e., the intensity of the image is less and the complete image is formed.

Question 24

An object of

5 cm

in length is held

25 cm

away from a converging lens of focal length

10 cm

. Draw the ray diagram and find the position, size and the nature of the image formed.

Solution

Ans: It is given that,

Height of the object, $h_o = 5\text{cm}$

Distance of object in front of lens, $u = -25\text{cm}$

Distance of image from lens, $v = ?$

Focal length of the lens, $f = +10\text{cm}$

From lens formula: $\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$

$$\Rightarrow \frac{1}{v} = \frac{1}{f} + \frac{1}{u}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{10} - \frac{1}{25}$$

$$\Rightarrow \frac{1}{v} = \frac{25-10}{250}$$

$$\Rightarrow \frac{1}{v} = \frac{15}{250}$$

$$\Rightarrow v = \frac{250}{15}$$

$$\Rightarrow v = 16.66\text{cm}$$

The positive value of v indicates that the image and the object are on opposite sides.

It is known that,

$$\text{Magnification } m = \frac{h_i}{h_o} = -\frac{v}{u}$$

Height of the image, $h_i = ?$

$$\Rightarrow m = \frac{h_i}{5} = -\frac{16.66}{25} = -0.66$$

$$\Rightarrow h_i = -0.66 \times 5$$

$$\Rightarrow h_i = -3.3\text{cm}$$

As the magnification is -0.66 , the negative sign indicates that the object is inverted and less than 1 indicates that the image is smaller than the object.

Therefore, the position of the image is 16.66cm from the lens. The height of the object is 3.3cm . The nature of the image is real, inverted and diminished.

Question 25

A concave lens of focal length

15 cm

forms an image

10 cm

from the lens. Find the distance of an object from the lens? Draw the ray diagram.

Solution

Ans: It is given that,

Focal length of the lens, $f = -15\text{cm}$

Distance of image from lens, $v = -10\text{cm}$

Distance of object in front of lens, $u = ?$

From lens formula: $\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$

$$\Rightarrow \frac{1}{u} = \frac{1}{v} - \frac{1}{f}$$

$$\Rightarrow \frac{1}{u} = \frac{1}{(-10)} - \frac{1}{(-15)}$$

$$\Rightarrow \frac{1}{u} = \frac{-1}{10} + \frac{1}{15}$$

$$\Rightarrow \frac{1}{u} = \frac{-5}{150}$$

$$\Rightarrow u = -\frac{150}{5}$$

$$\Rightarrow u = -30cm$$

Thus, the object is at a distance of $30cm$ from the lens.

Question 26

An object is placed at a distance of

10 cm

from a convex mirror of focal length

15 cm

. Find the position and nature of the image.

Solution

Ans: It is given that,

Focal length of the convex mirror, $f = +15cm$

Distance of object in front of convex mirror, $u = -10cm$

Distance of image from convex mirror, $v = ?$

From mirror formula: $\frac{1}{v} + \frac{1}{u} = \frac{1}{f}$

$$\Rightarrow \frac{1}{v} = \frac{1}{f} - \frac{1}{u}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{15} - \frac{1}{(-10)}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{15} + \frac{1}{10}$$

$$\Rightarrow \frac{1}{v} = \frac{25}{150}$$

$$\Rightarrow v = \frac{150}{25}$$

$$\Rightarrow v = 6cm$$

The positive value of v indicates that the image is formed behind the mirror and virtual.

It is known that,

$$\text{Magnification, } m = \frac{h_i}{h_o} = -\frac{v}{u}$$

$$\Rightarrow m = \frac{-6}{-10} = +0.6$$

The positive magnification indicates that the image is erect. As magnification is less than 1 it indicates that the image is smaller than the object.

Therefore, the position of image is $6cm$ behind the mirror. Nature of image is virtual, erect and diminished.

Question 27

What does “The magnification produced by a plane mirror is

$$+1$$

” mean?

Solution

Ans: It is known that,

$$\text{Magnification produced by a plane mirror is, } m = \frac{h_i}{h_o} = -\frac{v}{u}$$

where,

h_i is the height of the image

h_o is the height of the object

u is the distance of the object in front of lens

v is the distance of image from lens

Magnification produced by a plane mirror is $+1$ means that $h_i = h_o$ that is the size of the image is the same as the size of the object. The positive size indicates that the image is erect.

Therefore, magnification equal to $+1$ means that the size of the image is the same as object and erect.

Question 28

An object

5 cm

in length is placed at a distance of

20 cm

in front of a convex mirror of radius of curvature

30 cm

. Find the position of the image, its nature and size.

Solution

Ans: It is given that,

Distance of object in front of the mirror, $u = -20\text{cm}$

Distance of image from the mirror, $v = ?$

The radius of curvature of the mirror, $R = 30\text{cm}$

The focal length of the mirror, $f = ?$

It is known that,

Radius of curvature is equal to twice the focal length.

$$\Rightarrow R = 2f$$

$$\Rightarrow 30 = 2f$$

$$f = \frac{30}{2} = 15\text{cm}$$

From mirror formula: $\frac{1}{v} + \frac{1}{u} = \frac{1}{f}$

$$\Rightarrow \frac{1}{v} = \frac{1}{f} - \frac{1}{u}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{15} - \frac{1}{(-20)}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{15} + \frac{1}{20}$$

$$\Rightarrow \frac{1}{v} = \frac{20+15}{300}$$

$$\Rightarrow \frac{1}{v} = \frac{35}{300}$$

$$\Rightarrow v = \frac{60}{7}$$

$$\Rightarrow v = 8.57cm$$

The positive value of v indicates that the image is formed behind the mirror.

It is known that,

$$\text{Magnification } ,m = \frac{h_i}{h_o} = -\frac{v}{u}$$

$$\text{Height of the object, } h_o = 5cm$$

$$\text{Height of the image, } h_i = ?$$

$$\Rightarrow h_i = -\frac{v}{u} \times h_o$$

$$\Rightarrow h_i = -\frac{8.57}{(-20)} \times 5$$

$$\Rightarrow h_i = 2.14cm$$

Therefore, the image is formed at a distance of

$$8.57cm$$

behind the mirror. The nature of the image is virtual, erect and diminished.

Question 29

An object of size

$$7.0 \text{ cm}$$

is placed at

27 cm

in front of a concave mirror of focal length

18 cm

. At what distance from the mirror should a screen be placed, so that a sharp focused image can be obtained? Find the size and the nature of the image.

Solution

Ans: It is given that,

Distance of object in front of mirror, $u = -27\text{cm}$

Distance of image from the mirror, $v = ?$

Focal length of the mirror, $f = -18\text{cm}$

From mirror formula: $\frac{1}{v} + \frac{1}{u} = \frac{1}{f}$

$$\Rightarrow \frac{1}{v} = \frac{1}{f} - \frac{1}{u}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{-18} - \frac{1}{(-27)}$$

$$\Rightarrow \frac{1}{v} = -\frac{1}{18} + \frac{1}{27}$$

$$\Rightarrow \frac{1}{v} = \frac{-3+2}{54}$$

$$\Rightarrow \frac{1}{v} = -\frac{1}{54}$$

$$\Rightarrow v = -54\text{cm}$$

The negative value of v indicates that the screen should be placed at a distance of 54cm in front of the mirror and the image is real.

It is known that,

$$\text{Magnification, } m = \frac{h_i}{h_o} = -\frac{v}{u}$$

Height of the object, $h_o = 7\text{cm}$

Height of the image, $h_i = ?$

$$\Rightarrow h_i = -\frac{v}{u} \times h_o$$

$$\Rightarrow h_i = -\frac{-54}{(-27)} \times 7$$

$$\Rightarrow h_i = -14cm$$

The height of image is

$$14cm$$

.

Therefore, the image is formed at a distance of

$$54cm$$

in front of the mirror. Nature of image is real, inverted and enlarged.

Question 30

Find the focal length of a lens of power

$$-2.0 \text{ D}$$

. What type of lens is this?

Solution

Ans: It is given that,

$$\text{Power of a lens, } P = -2.0D$$

$$\text{Focal length of a lens, } f = ?$$

$$\text{Power of a lens, } P = \frac{1}{f(\text{metres})}$$

$$\Rightarrow -2 = \frac{1}{f}$$

$$\Rightarrow f = -\frac{1}{2} = -0.5m$$

Negative f indicates concave lens.

Therefore, the focal length of lens is $f = -0.5m$ and the lens is concave.

Question 31

A doctor has prescribed a corrective lens of power

$$+1.5 \text{ D}$$

. Find the focal length of the lens. Is the prescribed lens diverging or converging?

Solution

Ans: It is given that,

$$\text{Power of a lens, } P = +1.5 \text{ D}$$

$$\text{Focal length of a lens, } f = ?$$

$$\text{Power of a lens, } P = \frac{1}{f(\text{metres})}$$

$$\Rightarrow 1.5 = \frac{1}{f}$$

$$\Rightarrow f = \frac{1}{1.5} = 0.66 \text{ m}$$

Positive f indicates a convex lens.

Therefore, the focal length of lens is $f = 0.66 \text{ m}$ and the lens prescribed is a diverging lens.